

Erratum to the First Nations Food, Nutrition and Environment Study (FNFNES): Results from the Atlantic 2014. Ottawa: University of Ottawa, 2017

Laurie Chan¹, Olivier Receveur², Malek Batal², William David³, Harold Schwartz⁴, Amy Ing², Karen Fediuk¹, and Constantine Tikhonov⁴

¹ Biology Department, University of Ottawa, 180 Gendron Hall, 30 Marie Curie, Ottawa, ON, Canada, K1N 6N5

² Nutrition Department, Faculty of Medicine, Université de Montréal, Montreal, QC, Canada

³ Assembly of First Nations, Ottawa, ON, Canada

⁴ Environmental Public Health Division, First Nations and Inuit Health Branch (FNIHB), Indigenous Services Canada, Ottawa, ON, Canada

The authors regret to inform that there were some printing errors in the original Atlantic region report. A corrected electronic version of the Atlantic report is available for download. The following changes apply to any original printed versions.

Executive Summary, page xix:

At the regional level, First Nations adults in the Atlantic consumed an average of **24** grams of traditional food a day while heavy consumers (those at the 95th percentile) had up to 85 grams/day.

Nutrient Intake, page 62:

Table 10.28: %<EAR column: value changed to "(-)"

Food Security, page 72:

Table 17

Bottom line:

- first column header corrected to “**Households without** children”
- second column corrected to “**Household** status”

Food Contaminant Analyses, page 92:

Table 27: footnote deleted

Appendix P, page 138

Correction of statement made regarding food costing: text under “Weekly cost of groceries for a family of four” should read “Foods that require **little or no** preparation, spices, condiments, household supplies or personal care items are not included”.

Mercury in Hair Analyses, page 86:

Table 25. The column headings in the second row of the table presenting the weighted and weighted percentiles results were in error.

The correct table is as follows:

First Nations living in the Atlantic on-Reserve				Weighted			Weighted			Weighted Percentiles					
Gender	Age group	Sample size	%<LOD	A.M.	Lower 95% CI	Upper 95%CI	G.M.	Lower 95% CI	Upper 95%CI	75th	Lower 95% CI	Upper 95%CI	95th	Lower 95% CI	Upper 95%CI
Total	19-30	110	70.00	0.09	<LOD	0.13	<LOD	<LOD	<LOD	0.10	<LOD	0.16	0.39	0.15	0.64
Total	31-50	298	42.95	0.16	0.12	0.20	0.10	0.07	0.13	0.19	0.12	0.26	0.51	0.42	0.59
Total	51-70	195	25.13	0.32	0.22	0.41	0.18	0.13	0.23	0.36	0.24	0.49	1.17	0.66	1.69
Total	71+	29	17.24	0.29	0.22	0.36	0.21	0.15	0.29	0.46	0.29	0.62	0.62	0.37	0.87
Total	Total	632	40.98	0.18	0.15	0.21	0.10	0.08	0.12	0.22	0.16	0.27	0.58	0.47	0.68
Males	19-30	32	56.25	0.11	<LOD	0.18	0.07	<LOD	0.10	0.14	<LOD	0.23	0.39	<LOD	0.82
Males	31-50	80	25.00	0.19	0.14	0.25	0.11	0.08	0.17	0.26	0.17	0.34	0.52	0.28	0.75
Males	51-70	69	19.40	0.39	0.23	0.54	0.21	0.15	0.29	0.48	0.33	0.63	1.39	<LOD	2.86
Males	71+	10	0.18	0.36	0.21	0.51	0.22	0.11	0.46	0.62	0.34	0.89	0.85	0.54	1.15
Males	Total	191	28.19	0.21	0.17	0.26	0.11	0.09	0.14	0.26	0.19	0.33	0.72	0.54	0.90
Females	19-30	78	75.64	0.08	<LOD	0.11	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	0.29	<LOD	0.51
Females	31-50	218	49.54	0.13	0.10	0.16	0.08	<LOD	0.10	0.16	0.11	0.20	0.39	0.26	0.52
Females	51-70	126	28.13	0.25	0.18	0.33	0.15	0.11	0.20	0.32	0.21	0.43	0.85	0.63	1.06
Females	71+	19	15.00	0.24	0.19	0.29	0.20	0.15	0.27	0.31	0.25	0.38	0.49	0.33	0.64
Females	Total	441	46.40	0.15	0.11	0.18	0.09	<LOD	0.10	0.19	0.13	0.25	0.49	0.36	0.61
Females of child-bearing age	19-50	296	56.42	0.11	0.08	0.13	<LOD	<LOD	<LOD	0.13	0.08	0.17	0.39	0.26	0.52